Complete Summary

TITLE

Acute myocardial infarction: percent of patients without aspirin contraindications who are prescribed aspirin at hospital discharge.

SOURCE(S)

Acute myocardial infarction core performance measures. In: Specifications manual for national implementation of hospital core measures. Oakbrook Terrace (IL): Joint Commission on Accreditation of Healthcare Organizations (JCAHO); 2002 July. p. AMI-1 to AMI-9-6.

Center for Medicare and Medicaid Services (CMS). 7th statement of work (SOW). Quality of care measure specifications: Acute myocardial infarction (AMI). Baltimore (MD): Center for Medicare and Medicaid Services (CMS); 2002 Aug 1. Various p.

Brief Abstract

DESCRIPTION

This measure assesses the percentage of acute myocardial infarction (AMI) patients without aspirin contraindications who are prescribed aspirin at hospital discharge.

This measure represents an alignment of Centers for Medicare and Medicaid Services and Joint Commission on Accreditation of Health Care Organizations measures. As such, some attributes characterized in this NQMC summary may be attributable to either or both organizations.

RATIONALE

Aspirin therapy in patients who have suffered an acute myocardial infarction (AMI) reduces the risk of adverse events and mortality. Studies have demonstrated that aspirin can reduce this risk by 20%. National guidelines strongly recommend long-term aspirin for the secondary prevention of subsequent cardiovascular events in patients discharged after AMI. Despite these recommendations, aspirin remains underutilized in older patients discharged after AMI.

PRIMARY CLINICAL COMPONENT

Acute myocardial infarction; aspirin

DENOMINATOR DESCRIPTION

Acute myocardial infarction (AMI) patients without aspirin contraindications (see the related "Denominator Inclusions/Exclusions" field in the Complete Summary)

NUMERATOR DESCRIPTION

Acute myocardial infarction patients who are prescribed aspirin at hospital discharge

Evidence Supporting the Measure

PRIMARY MEASURE DOMAIN

Process

SECONDARY MEASURE DOMAIN

Not applicable

EVIDENCE SUPPORTING THE MEASURE

A clinical practice guideline or other peer-reviewed synthesis of the clinical evidence

A systematic review of the clinical literature

One or more research studies published in a National Library of Medicine (NLM) indexed, peer-reviewed journal

NATIONAL GUIDELINE CLEARINGHOUSE LINK

 1999 update: ACC/AHA guidelines for the management of patients with acute myocardial infarction. A report of the American College of Cardiology/American Heart Association Task Force on Practice Guidelines (Committee on Management of Acute Myocardial Infarction).

Evidence Supporting Need for the Measure

NEED FOR THE MEASURE

Overall poor quality for the performance measured

EVI DENCE SUPPORTING NEED FOR THE MEASURE

Jencks SF, Cuerdon T, Burwen DR, Fleming B, Houck PM, Kussmaul AE, Nilasena DS, Ordin DL, Arday DR. Quality of medical care delivered to Medicare beneficiaries: A profile at state and national levels. JAMA 2000 Oct 4;284(13):1670-6. PubMed

State of Use of the Measure

STATE OF USE

Current routine use

CURRENT USE

Accreditation
Collaborative inter-organizational quality improvement
Internal quality improvement

Application of Measure in its Current Use

CARE SETTING

Hospitals

PROFESSIONALS RESPONSIBLE FOR HEALTH CARE

Measure is not provider specific

LOWEST LEVEL OF HEALTH CARE DELIVERY ADDRESSED

Single Health Care Delivery Organizations

TARGET POPULATION AGE

Age greater than or equal to 18 years

TARGET POPULATION GENDER

Either male or female

STRATIFICATION BY VULNERABLE POPULATIONS

Unspecified

Characteristics of the Primary Clinical Component

INCIDENCE/PREVALENCE

Each year 900,000 people in the United States (U.S.) are diagnosed with acute myocardial infarction (AMI); of these, approximately 225,000 cases result in death and, it is estimated that an additional 125,000 patients die before obtaining medical care.

EVIDENCE FOR INCIDENCE/PREVALENCE

American College of Cardiology, American Heart Association Task Force on Practice Guidelines, Committee on Management of Acute Myocardial Infarction. Ryan TJ, Antman EM, Brooks NH, Califf RM, Hillis LD, Hiratzka LF, Rapaport E, Riegel B, Russell RO, Smith EE III, Weaver WD. ACC/AHA guidelines for the

management of patients with acute myocardial infarction: 1999 Update. Bethesda (MD): American College of Cardiology (ACC), American Heart Association (AHA); 1999. Various p.

ASSOCIATION WITH VULNERABLE POPULATIONS

Unspecified

BURDEN OF ILLNESS

Cardiovascular disease, including acute myocardial infarction (AMI), is the leading cause of death in the United States (U.S.).

FVIDENCE FOR BURDEN OF LLINESS

French WJ. Trends in acute myocardial infarction management: use of the National Registry of Myocardial Infarction in quality improvement. Am J Cardiol 2000 Mar 9;85(5A):5B-9B; discussion 10B-12B. <u>PubMed</u>

UTILIZATION

Cardiovascular disease, including acute myocardial infarction (AMI), is the primary disease category for hospital patient discharges.

EVIDENCE FOR UTILIZATION

French WJ. Trends in acute myocardial infarction management: use of the National Registry of Myocardial Infarction in quality improvement. Am J Cardiol 2000 Mar 9;85(5A):5B-9B; discussion 10B-12B. PubMed

COSTS

Unspecified

Institute of Medicine National Healthcare Quality Report Categories

IOM CARE NEED

Getting Better

IOM DOMAIN

Effectiveness

Data Collection for the Measure

CASE FINDING

Users of care only

DESCRIPTION OF CASE FINDING

Discharges, 18 years and older, with a principal diagnosis of acute myocardial infarction (AMI)

DENOMINATOR (INDEX) EVENT

Clinical Condition Institutionalization

DENOMINATOR INCLUSIONS/EXCLUSIONS

Inclusions

Discharges with an International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) Principal Diagnosis Code for acute myocardial infarction (AMI) and without aspirin contraindications

Exclusions

- Patients less than 18 years of age
- Patients transferred to another acute care hospital
- Patients who expired
- Patients who left against medical advice
- Patients discharged to hospice
- Patients with one or more of the following aspirin contraindications/reasons for not prescribing aspirin documented in the medical record:
 - Aspirin allergy;
 - Active bleeding on arrival or during hospital stay;
 - Warfarin/Coumadin prescribed at discharge; or
 - Other reasons documented by a physician, nurse practitioner, or physician assistant for not prescribing aspirin at discharge.

Refer to the original measure documentation for details.

NUMERATOR INCLUSIONS/EXCLUSIONS

Inclusions

Acute myocardial infarction (AMI) patients who are prescribed aspirin at hospital discharge

Exclusions Unspecified

Refer to the original measure documentation for details.

DENOMINATOR TIME WINDOW

Time window is a single point in time

NUMERATOR TIME WINDOW

Encounter or point in time

DATA SOURCE

Administrative and medical records data

LEVEL OF DETERMINATION OF QUALITY

Individual Case

PRE-EXISTING INSTRUMENT USED

Unspecified

Computation of the Measure

SCORING

Rate

INTERPRETATION OF SCORE

Better quality is associated with a higher score

ALLOWANCE FOR PATIENT FACTORS

Unspecified

STANDARD OF COMPARISON

External comparison at a point in time External comparison of time trends Internal time comparison

Evaluation of Measure Properties

EXTENT OF MEASURE TESTING

The core measure pilot project was a collaboration among the Joint Commission, five state hospitals associations, five measurement systems, and 83 hospitals from across nine states. Participating hospitals collected and reported data for acute myocardial infarction (AMI) measures from December 2000 to December 2001.

Core measure reliability visits were completed the summer of 2001 at a random sample of 16 participating hospitals across 6 states.

Preliminary data gathered during the Joint Commission's pilot project shows a mean measure rate of 95% for this measure.

EVIDENCE FOR RELIABILITY/VALIDITY TESTING

Joint Commission on Accreditation of Healthcare Organizations (JCAHO). A comprehensive review of development and testing for national implementation of hospital core measures. [internet]. Oakbrook Terrace (IL): Joint Commission on Accreditation of Healthcare Organizations (JCAHO); 2002 [cited 2002 Nov 13]. [8 p].

Joint Commission on Accreditation of Healthcare Organizations (JCAHO). Information on final specifications for national implementation of hospital core measures as of 11/04/02. [internet]. Oakbrook Terrace (IL): Joint Commission on Accreditation of Healthcare Organizations (JCAHO); 2002 Nov 04 [cited 2002 Nov 13]. [10 p].

Joint Commission on Accreditation of Healthcare Organizations (JCAHO). Overview of the acute myocardial infarction (AMI) core measure set. [internet]. Oakbrook Terrace (IL): Joint Commission on Accreditation of Healthcare Organizations (JCAHO); 2002 Mar 22 [cited 2002 Nov 13]. [4 p].

Identifying Information

ORIGINAL TITLE

Centers for Medicare and Medicaid Services (CMS) Aspirin at discharge.

Joint Commission on Accreditation of Healthcare Organizations (JCAHO) Aspirin prescribed at discharge.

MEASURE COLLECTION

<u>Centers for Medicare and Medicaid Services/Joint Commission on Accreditation of Healthcare Organizations Aligned Measures</u>

MEASURE SET NAME

<u>Centers for Medicare and Medicaid Services/Joint Commission on Accreditation of Healthcare Organizations Aligned Acute Myocardial Infarction Measures</u>

DEVELOPER

Centers for Medicare and Medicaid Services Joint Commission on Accreditation of Healthcare Organizations

ENDORSER

National Quality Forum

INCLUDED IN

National Healthcare Disparities Report (NHDR) National Healthcare Quality Report (NHQR)

ADAPTATION

Measure was not adapted from another source.

RELEASE DATE

2000 Aug

REVISION DATE

2002 Aug

MEASURE STATUS

This is the current release of the measure.

SOURCE(S)

Acute myocardial infarction core performance measures. In: Specifications manual for national implementation of hospital core measures. Oakbrook Terrace (IL): Joint Commission on Accreditation of Healthcare Organizations (JCAHO); 2002 July. p. AMI-1 to AMI-9-6.

Center for Medicare and Medicaid Services (CMS). 7th statement of work (SOW). Quality of care measure specifications: Acute myocardial infarction (AMI). Baltimore (MD): Center for Medicare and Medicaid Services (CMS); 2002 Aug 1. Various p.

MEASURE AVAILABILITY

Centers for Medicare and Medicaid Services (CMS)
The individual measure, "AMI-2: Aspirin at Discharge," is published in "Centers for Medicare/Medicaid Services, 7th Statement of Work, Quality of Care Measure Specifications: Acute Myocardial Infarction (AMI)."

For more information, e-mail CMS PROINQUIRIES at proinquiries@cms.hhs.gov.

Joint Commission on Accreditation of Healthcare Organizations (JCAHO) The individual measure "Aspirin Prescribed at Discharge," is published in "Specifications Manual for National Implementation of Hospital Core Measures." Information is available from the <u>Joint Commission on Accreditation of Healthcare Organizations (JCAHO) Web site</u>. For further information refer to www.jcaho.org.

COMPANION DOCUMENTS

Centers for Medicare and Medicaid Services (CMS)
A software application designed for the collection and analysis of quality

improvement data, the CMS Abstraction and Reporting Tool (CART), is available from the CMS CART Web site. Supporting documentation is also available.

For more information, e-mail CMS PROINQUIRIES at proinquiries@cms.hhs.gov.

Joint Commission on Accreditation of Healthcare Organizations (JCAHO) The following are available:

- Joint Commission on Accreditation of Healthcare Organizations (JCAHO).
 Overview of the acute myocardial infarction (AMI) core measure set.
 [internet]. Oakbrook Terrace (IL): Joint Commission on Accreditation of
 Healthcare Organizations (JCAHO); 2002 Mar 22 [cited 2002 Nov 13]. [4 p].
 This document is available from the <u>Joint Commission on Accreditation of Healthcare Organizations (JCAHO) Web site.</u>
- Joint Commission on Accreditation of Healthcare Organizations (JCAHO). A
 comprehensive review of development and testing for national
 implementation of hospital core measures. [internet]. Oakbrook Terrace (IL):
 Joint Commission on Accreditation of Healthcare Organizations (JCAHO); 2002
 [cited 2002 Nov 13]. [8 p]. This document is available from the JCAHO Web
 site.
- Joint Commission on Accreditation of Healthcare Organizations (JCAHO).
 Attributes of core performance measures and associated evaluation criteria.
 [internet]. Oakbrook Terrace (IL): Joint Commission on Accreditation of Healthcare Organizations (JCAHO); 2002 [cited 2002 Nov 13]. [4 p]. This document is available from the JCAHO Web site.
- Joint Commission on Accreditation of Healthcare Organizations (JCAHO).
 Information on final specifications for national implementation of hospital core measures as of 11/04/02. [internet]. Oakbrook Terrace (IL): Joint Commission on Accreditation of Healthcare Organizations (JCAHO); 2002 Nov 04 [cited 2002 Nov 13]. [10 p]. This document is available from the <u>JCAHO</u> Web site.

NQMC STATUS

This NQMC summary was completed by ECRI on February 7, 2003. The information was verified by the Centers for Medicare/Medicaid Services and the Joint Commission on Accreditation of Healthcare Organizations on February 12, 2003.

COPYRIGHT STATEMENT

Centers for Medicare and Medicaid Services (CMS) No copyright restrictions apply.

Joint Commission on Accreditation of Healthcare Organizations (JCAHO) The Specifications Manual for National Implementation of Hospital Core Measures, [Version 1.06, July 2002] is the intellectual property of and copyrighted by the Joint Commission on Accreditation of Healthcare Organizations, Oakbrook Terrace, Illinois. It is used in this publication with the permission of the Joint Commission.

© 2004 National Quality Measures Clearinghouse

Date Modified: 11/1/2004

FIRSTGOV

